



Updated November 2020


#### Ventura Deluxe



#### Ventura Deluxe




# Ventura Deluxe




Flush Valve PL-VLV-3/4PVC (MANUAL/DELUXE VERSIONS)







Pump Head Assembly W/Press. Switch **PL-PMP-SFPH** 




## Ventura Deluxe cont.





# **Cape Horn Xtreme**



#### **Cape Horn Xtreme**








Feed Pump 12V, 24V EL-FP-12V, 24V

3/8"NPT X 5/8" Hose Barb El. **PL-HBE-3/8X5/8** 

Feed Pump Pressure Switch **EL-FP-PS** 

Pump Head Assembly W/Press. Switch **PL-PMP-SFPH** 









**EL-SSR-IFM** INLINE FLOW SENSOR (0.5-5) Two male 3/8" NPT fittings, Used on Catalina and Newport Models

EL-SSR-IFMLR INLINE FLOW METER (0.1-2 L/M) Two male 1/4" NPT fittings. Used on Ventura Models

#### Salinity Probe

**EL-MPC-SP4** SALINITY PROBE 4TH GENERATION Marked SP4. Used on all Connect & MPC Systems (Version A34 and up) Reads TDS and Temperature. Responsible for Poor Water Quality & Salinity Probe Failed alarms.

#### **Pressure Sensors**

Solenoid Valves

**EL-SSR-ABS** ABSOLUTE PRESSURE SENSOR

EL-SSR-250 PRESSURE TRANSDUCER (250 PSI)

PL-SLN-1/4D12M 1/4" DIVERSION VALVE 12 V (MNF)

stream. Manual override button used to send water to tank

700 and 1000 Models have one with red band

Marked CP2-132, Comes with vellow band, Responsible for boost pressure and prefilter condition.

EL-SSR-150 PRESSURE TRANSDUCER (150 PSI) Marked CP2-130. Responsible for feed pressure, and high pressure alarm. Ventura Models have two, one with red band and one a green band. Catalina and Newport 400 Models have one with a red band

Marked CP2-131. Responsible for feed pressure, and high pressure alarm. Newport



**EL-TM-BKVC** BURKERT SOLENOID VALVE CONNECTOR Electrical Connector for solenoid valve

\*Burkert brand diversion valve. Without power sends water back to feed

PL-SLN-1/4012SP 1/4 2-WAY SOLENOID 12V SPAR W/O VBD Freshwater flush solenoid. Holds ships pressurized water system (50 psi max). On all Newport systems since June 2015.

PL-SLN-1/4012SV 1/4"FPT 2W SOLENOID SPART.12V W/VBD Freshwater flush solenoid with two 1/4" female NPT fittings. Holds ships pressurized water system (50 psi max). On all Ventura and Catalina systems since June 2015.

Alcon or ECI "round" Solenoids

These valves were used until June of 2015 when they were discontinued. The valve bodies are still available however, retrofit kits are necessary for valve replacements.


PL-SLN-1/4VB 1/4" 3-WAY SOLENOID VALVE BODY Plumbing portion of solenoid. Two 1/4" female NPT fittings and mounting holes

#### PL-SLN-1/4D12 - Discontinued


USE KIT-MNF-BURDV12 DIVERSION VALVE MANIFOLD CONVERSION Note: Above conforms to current production quality standards. In some situaitons, KIT-SLN-ECISPD1 ECI TO SPARTON DIV. VALVE KIT may be used in the field in its place

#### PL-SLN-1/4012 - Discontinued

Use KIT-SLN-ECISPO1 ECI TO SPARTON 1-W VALVE KIT 12V if replacing round ECI or Alcon brand solenoid. Or use PL-SLN-1/4012SV if existing valve body will not be reused/is damaged.



#### **Spectra Connect** Circuit Board, Relays, and Display Panels



EL-SC-100DPC 100' SPECTRA CONNECT REMOTE DISPLAY CABLE


KIT-SC-RMPNLL SPECTRA CONNECT REMOTE CNTRL. DSP.4.3"(LOCAL)





**KIT-SC-RMPNL** SPECTRA CON-NECT REMOTE CNTRL. DISP.4.3" (REMOTE, comes with 100' of cabling) **KIT-SC-RMPNLD** Display Only





### **Ventura Connect & MPC**












Technical Support is available by e-mail: techsupport@spectrawatermakers.com; or by phone 8:00am-4:00pm PST






KIT-SC-RMPNL SPECTRA CONNECT REMOTE CNTRL. DISP.4.3" (REMOTE, comes with 100' of cabling) KIT-SC-RMPNLD Display Only


PL-STA-12TX38NJ 1/2" TUBE STEM x 3/8" NPT ADAPTER


**Hoses and Tubes** 


Inlet/Flush Hose Assembly (SUB-CT-Z-HPIBHA):




Note: Hose clamps may be substituted for brass ferrules, which require a special crimper.









# Catalina 340 Connect & Z



## Catalina 340 Connect & Z (February 2015)






EL-PS-24V240WDC Boost Pump Voltage Booster

EL-MTR-PWM Motor Speed Controller

KIT-DCS-CT340Z PWM programmed for CT 340Z

# Catalina 340 Connect & Z



PL-HS-5/8VN


5/8" VINYL HOSE


PL-HS-3/4SH

3/4" REINFORCED


SUCTION HOSE

## Catalina 340 Connect & Z






## **Newport Series Intake Manifold**




\*NP MK-IIZ INTAKE MANIFOLD: Machined black manifold. Two previous models were made; the original manifold only had five fittings on the outside, use part number **SUB-NP-MK2-INT**. After this was the six fitting version which fits ECI or Alcon Solenoid, for this use part number **SUB-NP-MK2-INEZ**. \*\*3/4-16 X 1/2"TUBE FITTING ST. NYL: High pressure compression fitting. Comes with (sealing) O-ring, nut, and ferrule.


## Newport 400 C & MkII-Z (October 2014)




### Newport 400 Connect & MkII-Z



FILBOW




## Newport 400 Connect & MkII-Z



Note: Hose clamps may be substituted for brass ferrules, which require a special crimper.

## Newport 400 Connect & MkII-Z



#### Quick Disconnect Pigtail (installed at "to strainer" fitting on feed pump module):




PL-QDC-1/2HBISV 1/2" HB QUICK DISCT. INSERT W/ VALVE


Note: Hose clamps may be substituted for brass ferrules, which require a special crimper.




# Newport 700/1000C & MkII-Z (October 2014)




#### Newport 700/1000 MkII-Z




## Newport 700/1000C & MkII-Z (October 2014)



## Newport 700/1000 Connect & MkII-Z




## Newport 700/1000 Connect MkII-Z



## Newport 700/1000 MkII-Z


#### Newport 700/1000 Mkll Z Feed Pump Module (AC Versions)




EL-MTR-3/4AC220 3/4 HP, 240 VAC, 3 PHASE, 56C MOTOR




## Newport 700/1000 Connect & MkII-Z



# Newport 700/1000 Connect & MkII-Z



PL-CKV-3/4F-FWS 3/4"FPT CHECK VALVE W/1/3# HAST.SPR




FARALLON INLET MANIFOLD FOR **SPARTAN** 


PL-HS-3/4PVCCLP 3/4" PVC HOSE CLEAR LOW PRESSURE


EL-MTR-2HP220AC 2 H.P. MOTOR 220AC 3PH 1750 RPM

EL-LT-3/4SW 3/4" SPIRAL WRAP


HD-HWR-VDM1 1" DIA X 1" H VIBRATION DAMPING MNT.















**PL-TB-UTC4V** U-TUBE FOR 4" PRESS. VESSEL.

**PL-NLT-1/2LP** 1/2" LOW PRESSURE TUBE




FT-FTH-10BC3P1


PL-HBE-1X1/2N



**PL-NP-1N** 1"NPT HEX CLOSE NIPPLE NYLON



PL-CLP-10SS #10 HOSE CLAMP







Sea Strainer Assembly




FT-STN-6 "6"" STRAINER (LARGE)" PL-BSH-1X3/4N "1"" X 3/4"" HEX BUSHING REDUCER NYLON"











**PL-NP-3/4X5** 3/4"NPT X 4.5" NIPPLE POLY





**EL-MPC-PCBDPAxx** MPC-5000 CIRCUIT BOARD









ABSOLUTE PRESSURE SENSOR

PL-MTS-1/2X5/8P 1/2"NPT X 5/8"TUBE FITTING ST

EL-SSR-IFM INLINE FLOW SENSOR

> **PL-MTS-1/2X1/2P** 1/2"NPT X 1/2"TUBE FITTING ST. NYL

SUB-NP-MK2-INT NEWPORT MK-II INTAKE MANIFOLD

> EL-MPC-SP4 SALINITY PROBE

PL-MTE-3/8X1/2P

3/8"NPT X 1/2"TUBE FITTING ELL NYL

PL-NP-1/2X3/8N 1/2"NPT X 3/8"NPT CLOSE NIPPLE NYL

SON

EL-MTR-1/2HP24 1/2HP MOTOR 24V,2000

3/8"FPT X 3/8"TUBE FITT.

PL-MTE-3/8X3/8J 3/8"NPT X 3/8"TUBE FITTING

PL-PMP-140MG MAG. DRIVE VANE PUMP

RPM, 48YC TEFC

PL-FTE-3/8X3/8P


ELL.

ELL.NYL

140 GPH

PL-FTE-1/2X5/8P


1/2"FPT X 5/8" TUBE ELFITTING





**EL-MPC-PCBDPAxx** MPC-5000 CIRCUIT BOARD

This control is compatible with all previous MPC systems.














For more information on the AC Tech drives, please go to the technical section of our website and download the installation and operation manual for SCL and SCM series drives.













## **CATALINA Parts**

3/8"MPT X 3/8" TUBE FITT. ST. PL-MTS-3/8X3/8J STROKE SENSOR EL-MPC-SC15 3/8"NPT X 1/4" TUBE ELBOW. PL-MTE-3/8X1/4J 1/4"MPT X 3/8"TUBE ELBOW PL-MTE-1/4X3/8J 1/8"FEMALE NPTX1/4"TUBE ELBOW **PL-FTE-1/8X1/4P** 1/8"NPT NIPPLE NYLON PL-NP-1/8N PL-NLT-1/2HP MEMBRANE END PLUG KIT-PV-25EP1 1/2" High Pressure Hose Z-BRANE MEMBRANE END PLUG(S) 3/8"MALE NPTX1/2"TUBE FITT.ST FT-PV-ZEP (Probe end) PL-MTS-3/8X1/2B FT-PV-ZEPB (Ground End)






# **CATALINA DELUXE Parts**




Technical Support is available by e-mail: techsupport@spectrawatermakers.com; or by phone 8:00am-4:00pm PST

#### NEWPORT 700/1000 (MK1) Pump Module Parts (cont)




## **NEWPORT Parts**




Technical Support is available by e-mail: techsupport@spectrawatermakers.com; or by phone 8:00am-4:00pm PST


## **NEWPORT Parts**




### **NEWPORT Parts**




## **NEWPORT Parts**




# **NEWPORT MAG Parts**





# **NEWPORT MAG Parts**





# **NEWPORT MAG Parts**


























# **SANTA CRUZ Parts**

# **Back side of front panel**




# **SANTA CRUZ Parts**










EL-SLT-CTRL SALINITY CONTROLLER




EL-ELM-DCM DC MODULE FOR SOLINOID VALVE










EL-SLT-CTRL SALINITY CONTROLLER

Technical Support is available by e-mail: techsupport@spectrawatermakers.com; or by phone 8:00am-4:00pm PST








KIT-FP-SF12 FEED PUMP ASSEMBLY 12V KIT-FP-SF24 FEED PUMP ASSEMBLY 24V



Technical Support is available by e-mail: techsupport@spectrawatermakers.com; or by phone 8:00am-4:00pm PST







Technical Support is available by e-mail: techsupport@spectrawatermakers.com; or by phone 8:00am-4:00pm PST

# Katadyn PowerSurvivor 40E Exploded View Diagram, Pump

6

5

3

Pos.	Part # (801)	DESCRIPTION	Pos.	Part # (801)	DESCRIPTION	Kit #(801) DESCRIPTION
1	. 2700	SPIRAL RETAINING RING, 2-TURN	25	3390	NUT	2793 MEMBRANE KIT 35/40/80 / 60437512793
2	2947	06 O-RING	26	3340	HOSE BARB, 3/8 HOSE X 1/4 NPT	3877 PLUNGER ROD KIT / 604375138773
Э	2647	ELBOW BARB	27	2585	VALVE SEAT INLET	8615 RELIEF VALVE KIT WITH SOCKET PS40
4	2597	END PLATE	28	3015	70 O-RING	*PARTS WITHIN KITS ARE NOT SOLD INDAVIDUALLY
5	2598	END PLUG	29	3009	64 O-RING	
e	3004	59 O-RING	30	2978	POPPET VALVE	
7	3147	QUAD SEAL, BRINE	31	3120	SPRING	
8	KIT ONLY 2793	MEMBRANE KIT 35/40/80 / 604375127937	32	2609	CHECK VALVE RETAINER	
9	3394	SLIDER CAP	33	3005	60 O-RING	
10	2779	BLOCK WIPER	34	2977	VALVE SEAT	
11	2776	WIPER SEAL, PARKER TYPE D-500	35	2590	CAPSCREW, SOCKET HD, 5/16-18 X 5	
12	2904	SPACER BLOCK	36	2599	CAPSCREW, SOCKET HD, 5/16-18 X 3	
13	2797	BUSHING	37	3389	CAPSCREW - SHORT	
14	2967	BACK-UP WASHER	38	2581	40E CHECK VALVE PLATE	
15	3013	68 O-RING	39	2595	MEMBRANE TUBE PLUG	
16	2785	STUD - SHORT, 5/16 UNC X 1-1/4L	40	KIT ONLY 8615	RELIEF VALVE KIT WITH SOCKET PS40	
17	2583	40E PUMP BACK PLATE	41	2697	025 O-RING	
18	3388	PIN	42	2736	ELBOW, 1/4 NPT X 3/8 HB, PLASTIC	
19	3838	PISTON SHAFT	43	2594	38-021 O-RING	
20	3008	63 O-RING	44	3986	40 BODY/MEMBRANE HOUSING	(41) (39)
21	. 2774	PISTON	45	KIT ONLY 6525	SPOOL VALVE KIT	
22		U-CUP SEAL 1-1/8 ID, 1-1/2 OD, 5/16	46	3006	61 O-RING	(42) (40)
23	2899	FLAT WASHER	47	2588	38-013 O-RING	(43)
24	2796	PIP RING				

Technical Support is available by e-mail: techsupport@spectrawatermakers.com; or by phone 8:00am-4:00pm PST

10

-00000000000000

36) (35

32

38

2 47

2

46

19

17 18

00000

0.0

31




# PowerSurvivor<sup>™</sup> 40E 12-Volt & 24-Volt Watermakers




# **OWNER`S MANUAL**

Page 98

# Diagrams








### **Survivor 06** (Model #8013418/#8013419)

GB

FRA

Ζ


POR



ort is available by e-mail: techsupport@spectrawatermakers.com; or \$9991648.00a

(415) 526-2780

#### **Key Components**



(Figure 1-2)

- 1. Product Hose Kit (8013842)
- 2. Cap membrane housing
- 3. End plug membrane housing
- 4. O-ring
- 5. O-ring (qty: 4)
- 6. Membrane kit (8013166)
- 7. O-ring, brine seal already installed
- 8. Plug
- 9. Membrane Housing
- 10. Weight and strainer
- 11. Hoses

- 12. Clamps
- 13. Two different O-rings and one seal
- 14. Pump Body Cover
- 15. Screw, handle (qty. 4)
- 16. Left handle
- 17. Right handle
- 18. Screw, cover (qty: 4)
- 19. Pump Body
- 20. Handle pin (qty: 2)

(415) 526-2780





**Survivor 35** (Model #8013433)

GB

FRA

Ζ





#### (Figure 1-3)


- 1. Capscrews (4 pcs.; 8013018)
- 2. Hose and strainer assembled
- 3. Pump Back
- 4. Pump Front


- 8. Handle (8012994)
- 9. Piston (8012970) No Seals, Order with Repair Seal Kit

Kits (not illustrated)

ort is available iby de-mail: tech support@spectrewatermakers combor bor Bash 1200

- 6. Membrane (8012793)
- 7. Membrane Housing
- 2. Repair Seal Kit (8013053) (415) 526-2780







# PowerSurvivor<sup>™</sup> 80E 12-Volt & 24-Volt Watermakers



# **OWNER'S MANUAL**

# Diagrams

